

ForFluids.com



Oil Safe[®] **Color Coded** **Lubrication Management**

Reduce Contamination • Improve Workplace • Increase Production • Best Practice

Oil Safe®

For nearly two decades, the Oil Safe System has been the oil transfer management system preferred by leading companies around the world.

People often go to great lengths to preserve the quality of their oil only to contaminate it by using filthy containers, pouring it through a dirty funnel, or inadvertently mixing it with different oil.

The Oil Safe system is a fully sealing unit that prevents contaminants from getting into the oil. The pour spouts available make dispensing quick and easy and with 10 different colors help prevent cross contamination.



Available in 10 Colors



- Beige
- Black
- Blue
- Dark Green
- Grey
- Mid Green
- Orange
- Purple
- Red
- Yellow

Oil Safe down-stroke pump delivers 1 liter with approximately 12 strokes

Fully interchangeable drums and lids, any style lid works with any size drum

See through drums with graduated markings in both liter and US quarts make it easy to see and measure levels

Bright colors make Oil Safe dispensers easy to find and easy to color code lubricants

Quick twist spout is easy to open and close. Controls flow and keeps dirt out

Push button auto shutoff air intake enables smooth pouring of lubricants

Robust lid design for easier handling



WARNING: Not suitable for fuels or solvents.



Lube Containers

WARNING: Not suitable for fuels or solvents.



Mini Spout Lid

With an outlet diameter of approximately .25" (7mm), this spout is ideal for lubrication jobs where equipment filler holes are small. The narrow spout is perfect for precise filling.

Beige	100400	Mid Green	100405
Black	100401	Orange	100406
Blue	100402	Purple	100407
Dark Green	100403	Red	100408
Gray	100404	Yellow	100409



Stretch Spout Lid

Designed for use where precision pouring of lubricants is required including hard to reach areas. With a .5" spout opening and longer spout, this lid is ideal for lower viscosity oils (<ISO 220).

Beige	100300	Mid Green	100305
Black	100301	Orange	100306
Blue	100302	Purple	100307
Dark Green	100303	Red	100308
Gray	100304	Yellow	100309



Stumpy Spout Lid

This wide spout model with a 1" opening is designed for applications where a higher lubricant flow is required. Match with a Stumpy Extension Hose to help with hard to reach fill points.

Beige	100500	Mid Green	100505
Black	100501	Orange	100506
Blue	100502	Purple	100507
Dark Green	100503	Red	100508
Gray	100504	Yellow	100509



Utility Lid

This multi purpose lid with a large 2" outlet hole ensures controlled fast pouring of lubricants. Match this lid to a 3, 5, or 10 liter/quart drum for use with Oil Safe pump.

Beige	100200	Mid Green	100205
Black	100201	Orange	100206
Blue	100202	Purple	100207
Dark Green	100203	Red	100208
Gray	100204	Yellow	100209

Tip: To use the pump it needs to be matched with a Utility Lid




Standard Pump

Excellent for lubricating hard to reach fill points. This down stroke discharge pump delivers 1 liter for approximately 12 strokes. Match with the Utility Lid and 3, 5, or 10 liter/quart Oil Safe drum.

Standard Pump	102000
Pump Accessories (Standard & Premium)	
5' Replacement Pump Hose	920206
10' Replacement Pump Hose	920207
5' Replacement Hose w/ 1/4" NPT	920208
10' Replacement Hose w/ 1/4" NPT	920209
Pump Reducer Nozzle	102030

Tip: Pump cannot be used with a 1.5 or 2 quart drum



Premium Pump

This heavy duty discharge pump is fully serviceable, color coded, accessory port, and has an ultra comfortable D handle grip design. Match with the Utility Lid and 3, 5, or 10 liter/quart Oil Safe drum.

Beige	102300	Mid Green	102305
Black	102301	Orange	102306
Blue	102302	Purple	102307
Dark Green	102303	Red	102308
Gray	102304	Yellow	102309

Premium Pump Accessories

5' Hose 1/4" NPT Kit w/breather	920220
10' Hose 1/4" NPT Kit w/breather	920225
3 micron Baffle Breather	920255
10 micron Trap Breather	920250



Attach quick disconnects to the accessory port. (not included)



Tip: Any Oil Safe lid fits any Oil Safe drum.

Drum

Every Oil Safe lid fits any Oil Safe drum. Fully interchangeable with lids and have an extra wide neck opening for rapid pouring and easy cleaning. Has Metric/Quart marks.

1.5 Liter/US Quart	101001
2 Liter/US Quart	101002
3 Liter/US Quart	101003
5 Liter/US Quart	101005
10 Liter/US Quart	101010



Storage Lid

With this lid, Oil Safe drums can be pre filled for storage or easier transportation. This is a convenient alternative to handling those bulky 5 gallon pails.

Beige	100100	Mid Green	100105
Black	100101	Orange	100106
Blue	100102	Purple	100107
Dark Green	100103	Red	100108
Gray	100104	Yellow	100109



Starter Kit

Improve your lubrication instantly and get up and running with 5 different drums and lids including a standard pump and spout extensions.

Starter Kit	FF0010
-------------	--------

COMPATIBILITY: Drums and lids are HDPE with Buna seals. Other seals available.

MODERNIZE LUBRICANT STORAGE AND HANDLING PRACTICES

Oil Safe Bulk Systems are the most feature rich and highest quality lubricant storage and dispensing systems available. Perfect for any workplace looking to instantly establish best practice by quickly ridding itself of old bulk oil storage equipment and processes. An Oil Safe bulk storage system will enable you to take immediate control over your lubrication workflow process and get your lubricant storage areas and practices clean, efficient, and compliant.

The two main systems; Advanced and Lubrication Work Center become the main focus of any updated world class lube room. Each can be configured to meet your specific workplace requirements. Additional secondary systems are available to supplement lube management either in the field or in other areas of the workplace. Whether you need lube management help in the field with a Quad Con System or a remote part of the warehouse with a Drum Work Station - world class lube management is within reach.

SYSTEM FEATURES

- **Color Coded** - Choice of 10 different colors for identification
- **Tank Sizes** - Choose from 30, 65, 120, 240 gallon tanks
- **Fire Safety** - Systems come with MSHA CFR30 rated hoses and include auto-shut off tank isolation valves
- **OSHA** - Right to know with color coded and labeled tanks and taps to ensure accurate fluid identification and handling
- **EPA SPCC** - Systems come standard with integrated spill containment
- **Ships Assembled** - Save time with preassembled modules that are virtually ready to use within minutes
- **Clean, Safe, and Professional** - Restores pride and in the work place and helps with facility inspections
- **Lube Storage** - Accommodates lubricants up to ISO 680
- **Various Configuration** - Scale the system to accommodate the number and volume of storage and dispensing
- **Labeling** - Systems include custom labeling

FLUID CLEANLINESS

- **In-Line Filtration**
- **Desiccant Breather** - Dedicated breather for each tank to remove airborne contaminants and moisture
- **Dispense** - High quality auto-shut off taps
- **Filling** - Dedicated suction hoses on the Advance and Work Center Systems
- **Cleaner Fluid** - Dedicated pump and filter on each tank on the Advance and Work Center Systems
- **Filtration** - With the Advance and Work Center it filters when you fill, dispense and you can also recirculate it (kidney loop)

GENERAL FEATURES

- **Integrated Pallets** - Integrated lift points built into the systems for easy forklift and hand truck transportation
- **Gauges** - Top mounted gauges for easy and safe viewing of tank fill level
- **Grounding** - Retractable cable reel grounding kit and system earth lugs to mitigate static electricity build up
- **Lubricant Flexibility** - Suitable for storing machinery lubricating oils and glycol based lubricants
- **Drip Trays** - Removable stainless steel drip trays collect spills that may occur when filling dispensing containers
- **Power** - All systems come standard with 110v single phase TEFC motors; air pneumatic option available

CUSTOMIZED TO YOUR NEEDS

Each system can be customized based on your needs. Let us know the number of tanks you need and the size of each one (30, 65, 120, or 240 gallons) and the type of system; either Lubrication Work Center with a dispensing center or an Advanced Lubricant System with dispensing stations under the tanks. We will take it from there.



Advanced Lubrication System

